

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

Decision Cover Letter

Decision of the licensing authority to:

grant a product specific waiver MHRA-100176-PIP01-21

Scope of the Application

Active Substance(s)

favezelimab; PEMBROLIZUMAB

Condition(s)

Malignant neoplasms (except CNS, haematopoietic, lymphoid-tissue-& melanoma) , Neoplasms of CNS

Pharmaceutical Form(s)

Concentrate for solution for infusion

Route(s) of Administration

Intravenous use

Name / Corporate name of the PIP applicant

Merck Sharp & Dohme (UK) Ltd

Basis for the Decision

Pursuant to the Human Medicines Regulations 2012, Merck Sharp & Dohme (UK) Ltd submitted to the licensing authority on 11/09/2021 16:15 BST an application for a Waiver

The procedure started on 29/07/2022 14:35 BST

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to grant a product specific waiver

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.



MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

Final Decision Letter

MHRA-100176-PIP01-21

Of 30/08/2022 16:19 BST

On the adopted decision for favezelimab; PEMBROLIZUMAB (MHRA-100176-PIP01-21) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Granting a waiver in all age groups for the listed condition(s)

This decision applies to a Waiver for favezelimab; PEMBROLIZUMAB, Concentrate for solution for infusion. Intravenous use.

This decision is addressed to Merck Sharp & Dohme (UK) Ltd, 120 Moorgate, London , United Kingdom, EC2M 6UR

ANNEX I

1. Waiver

1.1 Condition:

Treatment of all conditions included in the category of malignant neoplasms (except nervous system, haematopoietic and lymphoid tissue and melanoma). The waiver applies / applied to: Paediatric Subset(s): All subsets of the paediatric population from birth to less than 18 years of age Pharmaceutical form(s): Concentrate for solution for infusion Route(s) of administration: Intravenous use Reason for granting waiver: on the grounds that the specific medicinal product does not represent a significant therapeutic benefit over existing treatments. 1. Waiver 1.2 Condition: Treatment of malignant neoplasms of the central nervous system The waiver applies / applied to: Paediatric Subset(s): All subsets of the paediatric population from birth to less than 18 years of age Pharmaceutical form(s): Concentrate for solution for infusion Route(s) of administration: Intravenous use Reason for granting waiver: on the grounds that the specific medicinal product does not represent a significant therapeutic benefit over existing treatments.

2. Paediatric Investigation Plan:

2.1 Condition(s):

Not applicable

Not applicable					
2.3 Subset(s) of the paediatric p	opulation concerned b	by the paediatric development:			
Not applicable					
2.4 Pharmaceutical Form(s):					
Not applicable					
TI					
/ Studios					
2.5 Studies.					
2.3 Studies.					
2.5 Studies:					
Study Type	Number of Studies	Study Description			
Study Type Quality Measures	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling &	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies	Number of Studies	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures		Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d	eferral of a PIP:	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d Concerns on potential long term	eferral of a PIP:	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d Concerns on potential long term efficacy issues in relation to paed	eferral of a PIP: safety and liatric use:	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d Concerns on potential long term efficacy issues in relation to paed	eferral of a PIP: safety and liatric use:	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d Concerns on potential long term efficacy issues in relation to paed Date of completion of the paedia investigation plan:	eferral of a PIP: safety and liatric use: tric	Study Description			
Study Type Quality Measures Non-Clinical Studies Clinical Studies Extrapolation, Modeling & Simulation Studies Other Studies Other Measures 3. Follow-up, completion and d Concerns on potential long term efficacy issues in relation to paed	eferral of a PIP: safety and liatric use: tric contained in	Study Description			