

Medicines & Healthcare products Regulatory Agency

> MHRA 10 South Colonnade Canary Wharf London E14 4PU United Kingdom

gov.uk/mhra

Decision Cover Letter

Decision of the licensing authority to:

accept change(s) to the agreed paediatric investigation plan (MHRA-100212-PIP01-21-M01) and to the deferral

MHRA-100212-PIP01-21-M02

Scope of the Application

Active Substance(s)

FINERENONE

Condition(s)

Treatment of chronic kidney disease

Pharmaceutical Form(s)

Age-appropriate oral dosage (liquid or solid) form; Film-coated tablet

Route(s) of Administration

ORAL USE

Name / Corporate name of the PIP applicant

Bayer plc

Basis for the Decision

Pursuant to the Human Medicines Regulations 2012, Bayer plc submitted to the licensing authority on 10/02/2023 16:04 GMT an application for a Modification

The procedure started on 22/05/2023 18:21 BST

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.



Medicines & Healthcare products Regulatory Agency

> MHRA 10 South Colonnade Canary Wharf London E14 4PU United Kingdom

gov.uk/mhra

Final Decision Letter

MHRA-100212-PIP01-21-M02

Of 05/06/2023 11:39 BST

On the adopted decision for FINERENONE (MHRA-100212-PIP01-21-M02) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a deferral included in that paediatric investigation plan)

This decision applies to a Modification for FINERENONE, Age-appropriate oral dosage (liquid or solid) form; Film-coated tablet , ORAL USE .

This decision is addressed to Bayer plc, 400 South Oak Way, Reading, UNITED KINGDOM, RG2 6AD

ANNEX I

1. Waiver

1.1 Condition:

Treatment of chronic kidney disease. The waiver applies / applied to: Paediatric Subset(s): The paediatric population from birth to less than 6 months of age. Pharmaceutical form(s): Age appropriate oral (liquid or solid) dosage form Film-coated tablet. Route(s) of administration: ORAL USE Reason for granting waiver: on the grounds that the disease or condition for which the specific medicinal product is intended does not occur in the specified paediatric subset(s).

2. Paediatric Investigation Plan:

2.1 Condition(s):

Treatment of chronic kidney disease.

2.2 Indication(s) targeted by the PIP:

Treatment of chronic kidney disease associated with proteinuria in addition to a therapy with angiotensin converting enzyme inhibitors (ACEi) or angiotensin receptor blockers (ARB).

2.3 Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from 6 months to less than 18 years of age.

2.4 Pharmaceutical Form(s):

Age appropriate oral (liquid or solid) dosage form, Film-coated tablet.

2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Development of an age
		appropriate oral (liquid or solid)
		form.
Non-Clinical Studies	1	Study 2 Juvenile toxicity study.
Clinical Studies	4	Study 3 Relative bioavailability and
		food effect study of age appropriate
		oral liquid formulation in adult
		healthy subjects. Study 9 Relative
		bioavailability and food effect
		study of age appropriate oral solid formulation in adult healthy subjects.
		Study 4 Randomised, double blind,
		placebo controlled study to evaluate
		the efficacy, safety and PK/PD
		in children from 6 months to less
		than 18 years of age with chronic
		kidney disease (CKD) associated
		with proteinuria. Study 5 Open-label
		safety extension study in children
		from 6 months to less than 18 years
		of age with chronic kidney disease
		(CKD) associated with proteinuria.
Extrapolation, Modeling &	3	Study 6 Physiologically based
Simulation Studies		PK modelling study to predict
		pharmacokinetics and to define the
		dose of finerenone for the paediatric
		clinical trial in children 6 months
		to less than 18 years of age with
		proteinuria associated with chronic
		kidney disease (CKD). Study 7
		Population PK-PD modelling study
		to characterise the pharmacokinetics

		and compare the expected and observed pharmacokinetics and pharmacodynamics in children 6 months to less than 18 years of age with proteinuria associated with CKD. Study 8 Extrapolation study to support exposure and efficacy assumptions in children 6 months to less than 18 years of age with proteinuria associated with CKD.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and efficacy issues in relation to paediatric use:	Yes
Date of completion of the paediatric investigation plan:	31/01/2027
Deferral of one or more studies contained in the paediatric investigation plan:	Yes