

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

## **Decision Cover Letter**

## **Decision of the licensing authority to:**

accept change(s) to the agreed paediatric investigation plan (MHRA-100214-PIP01-21-M03) and to the deferral

MHRA-100214-PIP01-21-M04

## **Scope of the Application**

**Active Substance(s)** 

**RAVULIZUMAB** 

Condition(s)

Treatment of atypical haemolytic uremic syndrome.

## Pharmaceutical Form(s)

Concentrate for solution for infusion. Solution for injection.

## **Route(s) of Administration**

INTRAVENOUS USE. SUBCUTANEOUS USE.

## Name / Corporate name of the PIP applicant

Alexion Europe SAS

#### **Basis for the Decision**

Pursuant to the Human Medicines Regulations 2012, Alexion Europe SAS submitted to the licensing authority on 18/01/2024 16:39 GMT an application for a Modification

The procedure started on 06/03/2024 11:43 GMT

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral.

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.





MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

## **Final Decision Letter**

MHRA-100214-PIP01-21-M04

Of 27/03/2024 09:48 GMT

On the adopted decision for RAVULIZUMAB (MHRA-100214-PIP01-21-M04) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan).

This decision applies to a Modification for RAVULIZUMAB, Concentrate for solution for infusion. Solution for injection. , INTRAVENOUS USE. SUBCUTANEOUS USE. .

This decision is addressed to Alexion Europe SAS , 103-105 rue Anatole France , Levalllois-Perret , FRANCE, 92300

### ANNEX I

#### 1. Waiver

#### 1.1 Condition:

Not applicable.

## 2. Paediatric Investigation Plan:

### 2.1 Condition(s):

Treatment of atypical haemolytic uremic syndrome (aHUS).

## 2.2 Indication(s) targeted by the PIP:

Treatment of atypical haemolytic uremic syndrome.

## $2.3 \; Subset(s)$ of the paediatric population concerned by the paediatric development:

The paediatric population from birth to less than 18 years of age.

## **2.4 Pharmaceutical Form(s):**

Concentrate for solution for infusion. Solution for injection.

## 2.5 Studies:

Study Type	Number of Studies	Study Description
<b>Quality Measures</b>	1	Study 4 Development of an
		age-appropriate subcutaneous
		formulation. Same as Study 5 in
		MHRA-100213-PIP01-21-M01 and
		any subsequent modifications.
Non-Clinical Studies	0	Not applicable.
Clinical Studies	2	Study 1 Deleted during procedure
		EMEA-001943-PIP01-16-M01.
		Study 2 (ALXN1210-aHUS-312)
		Open-label, single arm study
		to evaluate pharmacokinetics,
		pharmacodynamics, efficacy
		and safety of ravulizumab in
		children from birth to less than
		18 years of age with aHUS.
		Study 5 (ALXN1210-PED-316)
		Open-label multicentre, study
		to evaluate pharmacokinetics,
		pharmacodynamics, activity and
		safety of ravulizumab following
		subcutaneous administration in
		children from 2 years to less than 18
		years of age with atypical haemolytic
		uraemic syndrome (aHUS) or PNH.
		Same as Study 5 in MHRA-100213-
		PIP01-21-M01 and subsequent
		modifications.
Extrapolation, Modeling &	3	Study 3 Modelling and simulation
Simulation Studies		study to evaluate the use of
		intravenous ravulizumab in
		children from birth to less than 18
		years of age. Same as Study 2 in
		MHRA-100213-PIP01-21-M01 and
		subsequent modifications. Study 6
		Modelling and simulation study to

		evaluate the use of subcutaneous ravulizumab in children from 2 years to less than 18 years of age in aHUS and PNH. Same as Study 7 in MHRA-100213-PIP01-21-M01 and subsequent modifications. Study 7 Extrapolation study to evaluate the use of subcutaneous ravulizumab in children from 2 years to less than 18 years of age with aHUS or PNH. Same as Study 8 in MHRA-100213-PIP01-21-M01 and subsequent modifications.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

# 3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and	Yes
efficacy issues in relation to paediatric use:	
Date of completion of the paediatric	31/12/2025
investigation plan:	
Deferral of one or more studies contained in	Yes
the paediatric investigation plan:	