

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

# **Decision Cover Letter**

# **Decision of the licensing authority to:**

accept change(s) to the agreed paediatric investigation plan (MHRA-100623-PIP01-22-M01) and to the deferral

MHRA-100623-PIP01-22-M02

# **Scope of the Application**

**Active Substance(s)** 

NIRAPARIB TOSYLATE MONOHYDRATE

#### Condition(s)

Treatment of all conditions included in the category of malignant neoplasms (except haematopoietic and lymphoid malignancies)

# **Pharmaceutical Form(s)**

Capsule, hard; Tablet; Tablet for oral suspension

# **Route(s) of Administration**

**ORAL USE** 

# Name / Corporate name of the PIP applicant

GlaxoSmithKline UK Limited

#### **Basis for the Decision**

Pursuant to the Human Medicines Regulations 2012, GlaxoSmithKline UK Limited submitted to the licensing authority on 21/03/2024 12:39 GMT an application for a

The procedure started on 04/06/2024 10:50 BST

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.





MHRA 10 South Colonnade Canary Wharf London E14 4PU

United Kingdom

gov.uk/mhra

# **Final Decision Letter**

MHRA-100623-PIP01-22-M02

Of 03/09/2024 06:50 BST

On the adopted decision for NIRAPARIB TOSYLATE MONOHYDRATE (MHRA-100623-PIP01-22-M02) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan)

This decision applies to a for NIRAPARIB TOSYLATE MONOHYDRATE, Capsule, hard; Tablet; Tablet for oral suspension, ORAL USE.

This decision is addressed to GlaxoSmithKline UK Limited, 980 Great West Road, Brentford, UNITED KINGDOM, TW8 9GS

# ANNEX I

#### 1. Waiver

#### 1.1 Condition:

Not applicable

# 2. Paediatric Investigation Plan:

# 2.1 Condition(s):

Treatment of all conditions included in the category of malignant neoplasms (except haematopoietic and lymphoid malignancies).

# **2.2 Indication(s) targeted by the PIP:**

Treatment of paediatric patients from birth to less than 18 years old with neuroblastoma and/or osteosarcoma

# 2.3 Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from birth to less than 18 years of age

# **2.4 Pharmaceutical Form(s):**

Film coated tablet Capsule, hard Table for oral suspension

# 2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Development of age-
		appropriate oral liquid dosage form.
Non-Clinical Studies	0	Not applicable.
Clinical Studies	3	Study 2 Open-label, multiple
		dose, two part trial to evaluate
		pharmacokinetics, safety, activity
		and acceptability of niraparib
		when given in combination with
		dostarlimab in children from 6
		months of age to less than 18 years of
		age with recurrent / refractory solid
		tumours, excluding central nervous
		system (CNS) tumours in part 1a and
		1b and with recurrent / refractory
		osteosarcoma and recurrent /
		refractory neuroblastoma in Part
		2. Study 3 Open label, randomised
		controlled, active comparator trial
		to evaluate efficacy and safety
		of niraparib in combination with
		dostarlimab against current standard
		of care in children from 6 months of
		age to less than 18 years of age with
		relapsed/ refractory osteosarcoma
		and/or neuroblastoma. Study 4
		Open label, randomised controlled,
		active comparator trial to evaluate efficacy and safety of niraparib
		in combination with dostarlimab
		against current standard of care in
		children from birth to less than 18
		years of age with newly diagnosed
	I	years or age with newly tragiloset

		high risk osteosarcoma and/or Stage 4 neuroblastoma.
Extrapolation, Modeling & Simulation Studies	1	Study 5 Modelling and simulation study, to evaluate the use of niraparib and dostarlimab in the proposed paediatric indications in children from birth to less than 18 years of age.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

# 3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and	Yes
efficacy issues in relation to paediatric use:	
Date of completion of the paediatric	30/06/2040
investigation plan:	
Deferral of one or more studies contained in	Yes
the paediatric investigation plan:	