

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

Decision Cover Letter

Decision of the licensing authority to:

accept change(s) to the agreed paediatric investigation plan (MHRA-100079-PIP01-21-M03) and to the deferral

MHRA-100079-PIP01-21-M04

Scope of the Application

Active Substance(s)

GILTERITINIB FUMARATE

Condition(s)

Treatment of acute myeloid leukaemia (AML)

Pharmaceutical Form(s)

Film-coated tablet Age appropriate oral dosage form

Route(s) of Administration

ORAL USE

Name / Corporate name of the PIP applicant

Astellas Pharma Ltd

Basis for the Decision

Pursuant to the Human Medicines Regulations 2012, Astellas Pharma Ltd submitted to the licensing authority on 23/07/2024 16:13 BST an application for a Modification

The procedure started on 09/09/2024 14:31 BST

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.



MHRA 10 South Colonnade Canary Wharf London

E14 4PU United Kingdom

gov.uk/mhra

Final Decision Letter

MHRA-100079-PIP01-21-M04

Of 29/10/2024 09:24 GMT

On the adopted decision for GILTERITINIB FUMARATE (MHRA-100079-PIP01-21-M04) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan)

This decision applies to a Modification for GILTERITINIB FUMARATE, Film-coated tablet Age appropriate oral dosage form , ORAL USE .

This decision is addressed to Astellas Pharma Ltd, 300 Dashwood Lang Road, Bourne Business Park, Addlestone, Surrey, UNITED KINGDOM, KT15 2NX

ANNEX I

1. Waiver

1.1 Condition:

Treatment of acute myeloid leukaemia The waiver applies / applied to: Paediatric Subset(s): The paediatric population from birth to less than 6 months of age Pharmaceutical form(s): Film-coated tablet Age appropriate oral dosage form Route(s) of administration: ORAL USE Reason for granting waiver: on the grounds that the specific medicinal product is likely to be unsafe.

2. Paediatric Investigation Plan:

2.1 Condition(s):

Treatment of acute myeloid leukaemia

2.2 Indication(s) targeted by the PIP:

Treatment of patients from 6 months to less than 18 years of age with relapsed or refractory FLT3/ITD positive acute myeloid leukaemia or newly diagnosed FLT3/ITD positive acute myeloid leukaemia

2.3 Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from 6 months to less than 18 years of age

2.4 Pharmaceutical Form(s):

Film-coated tablet Age appropriate oral dosage form

2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Development of film coated
		tablets smaller and of lower strength
		(compared to existing pharmaceutical
		form) and suitable to be administered
		as oral suspension and appropriate to
		children unable to swallow the adult
		sized film coated tablets.
Non-Clinical Studies	1	Study 2 Definitive juvenile rat
		study aimed to assess the toxicity of
		gilteritinib.
Clinical Studies	2	Study 3 (2215-CL-0603) Open-
		label, single arm, study to evaluate
		the pharmacokinetics, safety and
		anti-tumour activity of gilteritinib
		used in sequential combination
		with chemotherapy paediatric
		patients from 6 months to less
		than 18 years of age with FLT3/
		ITD positive relapse or refractory
		acute myeloid leukaemia (AML)
		with a dose finding phase (phase
		1). Study 4 (2215-CL-0604:
		gilteritinib in combination with
		standard chemotherapy arm) Open
		label, single-arm phase 2 study
		to evaluate the pharmacokinetics,
		safety and efficacy of gilteritinib
		used in sequential combination with
		chemotherapy in paediatric patients
		from 6 months to less than 18 months
		of age (and young adults) with newly

E 4 . l 4' M l l' 0		diagnosed, FLT3/ITD positive, AML.
Extrapolation, Modeling & Simulation Studies	2	Study 5 Modelling and simulation study to simulate and predict gilteritinib exposure in children from 6 months to less than 18 years of age with acute myeloid leukaemia. Study 6 (added in Modification MHRA-100079-PIP01-21-M01) Physiologically based modelling study to simulate gilteritinib exposure in populations of children from 6 months to less than 18 years of age with AML.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and	Yes
efficacy issues in relation to paediatric use:	
Date of completion of the paediatric	31/05/2026
investigation plan:	
Deferral of one or more studies contained in	Yes
the paediatric investigation plan:	