

Medicines & Healthcare products Regulatory Agency

> MHRA 10 South Colonnade Canary Wharf London E14 4PU United Kingdom

gov.uk/mhra

# **Decision Cover Letter**

### Decision of the licensing authority to:

accept of change(s) to the agreed paediatric investigation plan and to the deferral.

MHRA-100200-PIP01-21-M02

# **Scope of the Application**

### **Active Substance(s)**

### REGORAFENIB

### Condition(s)

Treatment of all conditions contained in the category of malignant neoplasms (except haematopoietic and lymphoid tissue)

#### **Pharmaceutical Form(s)**

Film-coated tablet, Granules

### **Route(s) of Administration**

ORAL USE

### Name / Corporate name of the PIP applicant

Bayer plc

#### **Basis for the Decision**

Pursuant to the Human Medicines Regulations 2012, Bayer plc submitted to the licensing authority on 26/11/2024 14:22 GMT an application for a

The procedure started on 17/01/2025 08:25 GMT

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral.

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.



Medicines & Healthcare products Regulatory Agency

> MHRA 10 South Colonnade Canary Wharf London E14 4PU United Kingdom

gov.uk/mhra

# **Final Decision Letter**

MHRA-100200-PIP01-21-M02

Of 19/02/2025 09:33 GMT

On the adopted decision for REGORAFENIB (MHRA-100200-PIP01-21-M02) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan).

This decision applies to a for REGORAFENIB, Film-coated tablet, Granules, ORAL USE.

This decision is addressed to Bayer plc, 400 South Oak Way, Green Park, Reading, UNITED KINGDOM, RG2 6AD

# ANNEX I

# 1. Waiver

### **1.1 Condition:**

Treatment of all conditions contained in the category of malignant neoplasms (except haematopoietic and lymphoid tissue) The waiver applies / applied to: Paediatric Subset(s): The paediatric population from birth to less than 6 months of age. Pharmaceutical form(s): Film-coated tablet, Granules Route(s) of administration: Oral use Reason for granting waiver: On the grounds that the specific medicinal product is likely to be unsafe.

# 2. Paediatric Investigation Plan:

### 2.1 Condition(s):

Treatment of all conditions contained in the category of malignant neoplasms (except haematopoietic and lymphoid tissue).

### **2.2 Indication(s) targeted by the PIP:**

Treatment of paediatric patients with a solid malignant tumour(s) integrated with anti-cancer therapy.

### **2.3** Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from 6 months to less than 18 years of age.

### **2.4 Pharmaceutical Form(s):**

Film-coated tablet Granules

### 2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Development of granules
		for oral use as age-appropriate
		formulation.
Non-Clinical Studies	2	Study 2 Juvenile toxicity study.
		Study 3 Pharmacology testing of
		regorafenib in paediatric tumour
		models including biomarker
		exploration and combination testing.
Clinical Studies	2	Study 5 Multi-centre, open-label,
		dose-escalating, cohort-expanding
		trial to evaluate pharmacokinetics,
		pharmacodynamics, tolerability,
		safety and tumour activity of
		regoratenib in the paediatric
		population with a solid malignant
		therease. Study (This study
		unerapy. Study 6 This study
		EMEA 00117 DID01 11 M02
		Study 7 Multi centre, randomised
		controlled open label trial to
		evaluate the activity safety
		and efficacy of regoratenib in
		combination with vincristine and
		irinotecan (VI) compared to VI alone
		in the paediatric population from 6
		months to less than 18 years with
		a first and subsequent relapses of
		rhabdomyosarcoma.
Extrapolation, Modeling &	1	Study 4 Physiologically-based
Simulation Studies		pharmacokinetic model to predict
		pharmacokinetics in the paediatric

		population from 6 months to less than 18 years of age.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

# 3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and efficacy issues in relation to paediatric use:	Yes
Date of completion of the paediatric investigation plan:	31/12/2027
Deferral of one or more studies contained in the paediatric investigation plan:	Yes