

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

### **Decision Cover Letter**

## **Decision of the licensing authority to:**

accept change(s) to the agreed paediatric investigation plan (MHRA-100123-PIP01-21-M02) and to the deferral

MHRA-100123-PIP01-21-M03

## **Scope of the Application**

### **Active Substance(s)**

**SARILUMAB** 

## **Condition(s)**

Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, spondylarthritis, psoriatic arthritis and juvenile idiopathic arthritis)

#### Pharmaceutical Form(s)

Solution for injection

#### **Route(s) of Administration**

SUBCUTANEOUS USE

#### Name / Corporate name of the PIP applicant

Sanofi Winthrop Industrie

#### **Basis for the Decision**

Pursuant to the Human Medicines Regulations 2012, Sanofi Winthrop Industrie submitted to the licensing authority on 28/04/2025 15:59 BST an application for a Modification

The procedure started on 12/06/2025 09:32 BST

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral.

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.



MHRA 10 South Colonnade Canary Wharf London

E14 4PU United Kingdom

gov.uk/mhra

## **Final Decision Letter**

MHRA-100123-PIP01-21-M03

Of 19/06/2025 13:24 BST

On the adopted decision for SARILUMAB (MHRA-100123-PIP01-21-M03) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan).

This decision applies to a Modification for SARILUMAB, Solution for injection , SUBCUTANEOUS USE .

This decision is addressed to Sanofi Winthrop Industrie, 82 avenue Raspail, Gentilly, FRANCE, 94250

## **ANNEX I**

#### 1. Waiver

#### 1.1 Condition:

Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, spondylarthritis, psoriatic arthritis and juvenile idiopathic arthritis). The waiver applies / applied to: Paediatric Subset(s): The paediatric population from birth to less than 1 year of age. Pharmaceutical form(s): Solution for injection. Route(s) of administration: SUBCUTANEOUS USE Reason for granting waiver: on the grounds that the disease or condition for which the specific medicinal product is intended does not occur in the specified paediatric subset(s).

### 2. Paediatric Investigation Plan:

#### 2.1 Condition(s):

Treatment of chronic idiopathic arthritis (including rheumatoid arthritis, spondylarthritis, psoriatic arthritis and juvenile idiopathic arthritis).

# 2.2 Indication(s) targeted by the PIP:

Treatment of juvenile idiopathic arthritis.

# 2.3 Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from 1 year to less than 18 years of age.

# **2.4 Pharmaceutical Form(s):**

Solution for injection.

## 2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Development of age/weight
		appropriate strength and presentation
		for subcutaneous use for paediatric
		population.
Non-Clinical Studies	0	Not applicable.
Clinical Studies	2	Study 2 Open-label, two part trial
		including a 12-week ascending
		repeated dose-finding core phase
		and an extension phase to evaluate
		the pharmacokinetics and safety
		of sarilumab in children from 2
		to less than 18 years of age with polyarticular course juvenile
		idiopathic arthritis (pJIA). Study
		3 Deleted during procedure
		EMEA-001045-PIP01-10-M01.
		Study 4 Open-label, two part trial
		including a 12-week ascending
		repeated dose-finding study and a
		144 week extension study to evaluate
		the pharmacokinetics and safety of
		sarilumab in children from 1 to less
		than 18 years of age with systemic
		juvenile idiopathic arthritis (sJIA).
		Study 5 Deleted during procedure
		EMEA-001045-PIP01-10-M01
Extrapolation, Modeling &	2	Study 6 Extrapolation study to
Simulation Studies		evaluate the use of sarilumab in
		children from 2 years to less than
		18 years of age with polyarticular
		course juvenile idiopathic arthritis

		(pJIA). Study 7 Extrapolation study to evaluate the use of sarilumab in children from 1 year to less than 18 years of age with systemic juvenile idiopathic arthritis (sJIA).
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

# 3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and	Yes
efficacy issues in relation to paediatric use:	
Date of completion of the paediatric	31/01/2031
investigation plan:	
Deferral of one or more studies contained in	Yes
the paediatric investigation plan:	