

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

[gov.uk/mhra](https://www.gov.uk/mhra)

Decision Cover Letter

Decision of the licensing authority to:

accept change(s) to the agreed paediatric investigation plan (MHRA-100455-PIP01-22-M01) and to the deferral

MHRA-100455-PIP01-22-M02

Scope of the Application

Active Substance(s)

IXAZOMIB

Condition(s)

Treatment of multiple myeloma, Treatment of lymphoid malignancies (excluding multiple myeloma)

Pharmaceutical Form(s)

Capsule, hard, Powder for solution for injection

Route(s) of Administration

ORAL USE; GASTRIC USE; INTRAVENOUS USE

Name / Corporate name of the PIP applicant

Takeda UK Ltd

Basis for the Decision

Pursuant to the Human Medicines Regulations 2012, Takeda UK Ltd submitted to the licensing authority on 27/11/2024 19:52 GMT an application for a Modification

The procedure started on 13/01/2025 18:54 GMT

1. The licensing authority, having assessed the application in accordance with the Human Medicines Regulations 2012, decides, as set out in the appended summary report:

to accept change(s) to the agreed paediatric investigation plan and to the deferral

2. The measures and timelines of the paediatric investigation plan are set out in the Annex I.

This decision is forwarded to the applicant, together with its annex and appendix.

MHRA
10 South Colonnade
Canary Wharf
London
E14 4PU
United Kingdom

gov.uk/mhra

Final Decision Letter

MHRA-100455-PIP01-22-M02

Of 22/04/2025 18:49 BST

On the adopted decision for IXAZOMIB (MHRA-100455-PIP01-22-M02) in accordance with the Human Medicines Regulations 2012.

The licensing authority, in accordance with the Human Medicines Regulations 2012, has adopted this decision:

Agreement on modification of a paediatric investigation plan (including modification of a waiver or deferral included in that paediatric investigation plan)

This decision applies to a Modification for IXAZOMIB, Capsule, hard, Powder for solution for injection , ORAL USE; GASTRIC USE; INTRAVENOUS USE .

This decision is addressed to Takeda UK Ltd, 1 Kingdom Street, London, UNITED KINGDOM, W2 6BD

ANNEX I

1. Waiver

1.1 Condition:

Treatment of multiple myeloma The waiver applies / applied to: Paediatric Subset(s): All subsets of the paediatric population from birth to less than 18 years of age Pharmaceutical form(s): Capsule, hard Powder for solution for injection Route(s) of administration: ORAL USE GASTRIC USE INTRAVENOUS USE Reason for granting waiver: on the grounds that the disease or condition for which the specific medicinal product is intended does not occur in the specified paediatric subset(s).

2. Paediatric Investigation Plan:

2.1 Condition(s):

Treatment of lymphoid malignancies (excluding multiple myeloma)

2.2 Indication(s) targeted by the PIP:

Treatment of paediatric patients from birth to less than 18 years of age with a lymphoid malignancy

2.3 Subset(s) of the paediatric population concerned by the paediatric development:

The paediatric population from birth to less than 18 years of age

2.4 Pharmaceutical Form(s):

Capsule, hard Powder for solution for injection

2.5 Studies:

Study Type	Number of Studies	Study Description
Quality Measures	1	Study 1 Compatibility of ixazomib powder for solution for injection, oral use, gastric use, with flavouring agents or food and with naso-gastric feeding tubes. Generation of data on acceptability and palatability.
Non-Clinical Studies	0	Not applicable.
Clinical Studies	2	Study 2 (T2017-002) Uncontrolled, open label study to assess pharmacokinetics and safety of ixazomib capsules for oral use, and of powder for solution for injection, oral use and gastric use, in paediatric patients from birth to less than 18 years of age (and adults if diagnosed at less than 18 years of age) with relapsed/refractory acute lymphoblastic leukaemia or lymphoblastic lymphoma with or without extramedullary disease. Study 3 Deleted during procedure EMEA-001410-PIP02-17-M03. Study 4 (T2017-002) Open-label, single arm study to assess the efficacy of the addition of ixazomib, capsules for oral use, and powder for solution for injection, oral use and gastric use, to reinduction chemotherapy in paediatric patients from birth to less than 18 years of age (and adults if diagnosed

		at less than 18 years of age) with relapsed/refractory (RR) acute lymphoblastic leukaemia (ALL) or lymphoblastic lymphoma (LLy) with or without extramedullary disease. Study 5 Deleted during procedure MHRA-100455-PIP01-22-M02. Study 6 Deleted during procedure MHRA-100455-PIP01-22-M02.
Extrapolation, Modeling & Simulation Studies	0	Not applicable.
Other Studies	0	Not applicable.
Other Measures	0	Not applicable.

3. Follow-up, completion and deferral of a PIP:

Concerns on potential long term safety and efficacy issues in relation to paediatric use:	No
Date of completion of the paediatric investigation plan:	31/12/2025
Deferral of one or more studies contained in the paediatric investigation plan:	Yes