Medicines and Healthcare products Regulatory Agency

Certificate No: UK WDA(H) 55271 Insp GDP 55271/23477034-0002

CERTIFICATE OF GDP COMPLIANCE OF A WHOLESALE DISTRIBUTOR

Issued following an inspection in accordance with Regulation 331 (4) (b) of the Human Medicines Regulations 2012

The wholesale distributor : DR SMITH, DR CRUICKSHANK AND PARTNERS Site address : DR SMITH, DR CRUICKSHANK AND PARTNERS, MOWBRAY HOUSE SURGERY, MALPAS ROAD, NORTHALLERTON, DL7 8FW, UNITED KINGDOM

Has been inspected under the national inspection programme in connection with authorisation number UK WDA(H) 55271 Insp GDP 55271/23477034-0002 in accordance with regulation 18 of the Human Medicines Regulations 2012

From the knowledge gained during inspection of this wholesale distributor, the latest of which was conducted on 14/04/2023, it is considered that it complies with the principles of good distribution practice requirements referred to in regulation C17 of the Human Medicines Regulations 2012

This certificate reflects the status of the premises at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than five years have elapsed since the date of that inspection. However this period of validity may be reduced using regulatory risk management principles, by an entry in the Restrictions or Clarifying Remarks field.

This certificate is valid only when presented with all pages.

The authenticity of this certificate may be verified in MHRA-GMDP. If it does not appear please contact the issuing authority.

Any restrictions or clarifying remarks related to the scope of this certificate(For All Users):

In accordance with the MHRA risk based inspection procedures this site has had a licence inspection. This certificate covers all sites and activities listed on the most recent WDA(H) granted.

25/05/2023	Name and signature of the authorised person of the Competent Authority of United Kingdom
	Confidential
	Medicines and Healthcare products Regulatory Agency
	Confidential

