Medicines and Healthcare products Regulatory Agency

CERTIFICATE NUMBER : UK GMP 19196 Insp GMP 23092/1470275-0004[H]

CERTIFICATE OF GMP COMPLIANCE OF A MANUFACTURER(1),(2)

Part 1

Issued following an inspection in accordance with : Regulation 331A of The Human Medicines Regulations 2012 (SI 2012/1916)

The competent authority of United Kingdom confirms the following :

The Manufacturer : ACTAVIS LABORATORIES NY, INC. (SUBSIDIARY OF TEVA PHARMACEUTICALS USA, INC.)

Site address : ACTAVIS LABORATORIES NY, INC. (SUBSIDIARY OF TEVA PHARMACEUTICALS USA, INC.), 26 BETHPAGE ROAD, COPIAGUE, 11726-0030, UNITED STATES

Has been inspected in connection with marketing authorisation(s) listing manufacturers located outside of the European Economic Area in accordance with Part 16 of The Human Medicines Regulations 2012 (SI 2012/1916)

From the knowledge gained during inspection of this manufacturer, the latest of which was conducted on 17/01/2017, it is considered that it complies with

• The principles and guidelines of Good Manufacturing Practice laid down in Regulation B17 of the Human Medicines Regulations 2012 (as amended)

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection. However, this period of validity may be reduced or extended using regulatory risk management principles by an entry in the Restrictions or Clarifying remarks field. This certificate is valid only when presented with all pages and both Parts 1 and 2. The authenticity of this certificate may be verified in MHRA-GMDP. If it does not appear, please contact the issuing authority.

- (1) Guidance on the interpretation of this template can be found in the Help menu of MHRA-GMDP database.
- (2) These requirements fulfil the GMP recommendations of WHO.

 Human Medicinal Products

 1. MANUFACTURING OPERATIONS

 [1.5] Packaging

 [1.5.1] Primary packaging

 [1.5.1.3] Chewing gums

 [1.6] Quality control testing

Part 2

[1.6.3] Chemical/Pl	nysical
---------------------	---------

Any restrictions related to the scope of this certificate:

Building	QC Room Line/equipment Testing	Products
3 sites associated with the manufacture of Nicotine chewing gum: 33 R Copiague, New York 11726-0030. 200 North Oak Street, Copiague, Ne		Nicotine chewing gum
11726-0030. 26 Bethpage Road, Copiague, New York 11726-0030		

19/01/2017	Name and signature of the authorised person of the Competent Authority of United Kingdom	
	Confidential	
	Medicines and Healthcare products Regulatory Agency	~
	Tel : Confidential	
	R	R