

Medicines and Healthcare products Regulatory Agency

CERTIFICATE NUMBER : UK GMP 40487 Insp GMP 40487/4714470-0001[V]

CERTIFICATE OF GMP COMPLIANCE OF A MANUFACTURER(1),(2)

Part 1

Issued following an inspection in accordance with :
Regulation 5 of the current Veterinary Medicines Regulations

The competent authority of United Kingdom confirms the following :

The Manufacturer : SPRAY-TEK INCORPORATED

Site address : SPRAY-TEK INCORPORATED, 344 CEDAR AVENUE, MIDDLESEX, 08846, UNITED STATES

Has been inspected in connection with marketing authorisation(s) listing manufacturers located outside of the European Economic Area in accordance with Regulation 5 of The current Veterinary Medicines Regulations

From the knowledge gained during inspection of this manufacturer, the latest of which was conducted on 01/12/2011, it is considered that it complies with

- The principles and guidelines of Good Manufacturing Practice laid down in Regulation 5 of the current Veterinary Medicines Regulations

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection. However, this period of validity may be reduced or extended using regulatory risk management principles by an entry in the Restrictions or Clarifying remarks field. This certificate is valid only when presented with all pages and both Parts 1 and 2. The authenticity of this certificate may be verified in MHRA-GMDP. If it does not appear, please contact the issuing authority.

-
- (1) Guidance on the interpretation of this template can be found in the Help menu of MHRA-GMDP database.
 - (2) These requirements fulfil the GMP recommendations of WHO.

Part 2

Veterinary Medicinal Products

1. MANUFACTURING OPERATIONS

[1.2] Non-sterile products

[1.2.1] Non-Sterile Products (processing operations for the following dosage forms)

[1.2.1.17] Other non-sterile medicinal products

Spray drying operations

Any restrictions related to the scope of this certificate:

Building	Room	Line/equipment	QC Testing	Products
				Spray Drying only of Docusate Sodium/Sodium Benzoate solution

23/04/2012	Name and signature of the authorised person of the Competent Authority of United Kingdom Confidential Medicines and Healthcare products Regulatory Agency Tel : Confidential
------------	---